

中卫市沙坡头区2020年面向社会公开招聘 社区工作者笔试成绩单

| 序号 | 准考证号 | 笔试成绩 | 资历量化分数 | 笔试最终成绩 | 备注 |
|----|-----------|-------|--------|--------|----|
| 1 | BD2020001 | 54.72 | 5 | 59.72 | |
| 2 | BD2020002 | 62.61 | 5 | 67.61 | |
| 3 | BD2020003 | 66.01 | 8 | 74.01 | |
| 4 | BD2020004 | 70.41 | 8 | 78.41 | |
| 5 | BD2020005 | 65.02 | 8 | 73.02 | |
| 6 | BD2020006 | 66.75 | 8 | 74.75 | |
| 7 | BD2020007 | 62.41 | 5 | 67.41 | |
| 8 | BD2020008 | 57.61 | 8 | 65.61 | |
| 9 | BD2020009 | 63.55 | 8 | 71.55 | |
| 10 | BD2020010 | 43.50 | 5 | 48.50 | |
| 11 | BD2020011 | 47.53 | 10 | 57.53 | |
| 12 | BD2020012 | 64.44 | 8 | 72.44 | |
| 13 | BD2020013 | 65.20 | 5 | 70.20 | |
| 14 | BD2020014 | 65.90 | 5 | 70.90 | |
| 15 | BD2020015 | 59.76 | 8 | 67.76 | |
| 16 | BD2020016 | 62.75 | 5 | 67.75 | |
| 17 | BD2020017 | 0 | | 0.00 | 缺考 |
| 18 | BD2020018 | 60.12 | 13 | 73.12 | |
| 19 | BD2020019 | 65.84 | 10 | 75.84 | |
| 20 | BD2020020 | 61.52 | 11 | 72.52 | |
| 21 | BD2020021 | 73.35 | 8 | 81.35 | |
| 22 | BD2020022 | 0 | | 0.00 | 缺考 |
| 23 | BD2020023 | 61.37 | 5 | 66.37 | |
| 24 | BD2020024 | 63.86 | 5 | 68.86 | |
| 25 | BD2020025 | 55.51 | 8 | 63.51 | |
| 26 | BD2020026 | 59.91 | 8 | 67.91 | |
| 27 | BD2020027 | 65.99 | 13 | 78.99 | |
| 28 | BD2020028 | 0 | | 0.00 | 缺考 |

| | | | | | |
|----|-----------|-------|----|-------|----|
| 29 | BD2020029 | 60.87 | 8 | 68.87 | |
| 30 | BD2020030 | 71.12 | 5 | 76.12 | |
| 31 | BD2020031 | 62.82 | 8 | 70.82 | |
| 32 | BD2020032 | 69.25 | 8 | 77.25 | |
| 33 | BD2020033 | 68.94 | 13 | 81.94 | |
| 34 | BD2020034 | 63.76 | 5 | 68.76 | |
| 35 | BD2020035 | 63.51 | 5 | 68.51 | |
| 36 | BD2020036 | 59.91 | 5 | 64.91 | |
| 37 | BD2020037 | 76.01 | 8 | 84.01 | |
| 38 | BD2020038 | 55.01 | 10 | 65.01 | |
| 39 | BD2020039 | 47.52 | 5 | 52.52 | |
| 40 | BS2020001 | 56.07 | | 56.07 | |
| 41 | BS2020002 | 61.27 | 3 | 64.27 | |
| 42 | BS2020003 | 56.67 | | 56.67 | |
| 43 | BS2020004 | 61.33 | | 61.33 | |
| 44 | BS2020005 | 63.74 | 3 | 66.74 | |
| 45 | BS2020006 | 0 | | 0.00 | 缺考 |
| 46 | BS2020007 | 63.28 | 3 | 66.28 | |
| 47 | BS2020008 | 60.94 | | 60.94 | |
| 48 | BS2020009 | 64.79 | 11 | 75.79 | |
| 49 | BS2020010 | 48.56 | | 48.56 | |
| 50 | BS2020011 | 0 | | 0.00 | 缺考 |
| 51 | BS2020012 | 65.03 | | 65.03 | |
| 52 | BS2020013 | 62.34 | | 62.34 | |
| 53 | BS2020014 | 67.30 | 8 | 75.30 | |
| 54 | BS2020015 | 66.55 | 8 | 74.55 | |
| 55 | BS2020016 | 0 | | 0.00 | 缺考 |
| 56 | BS2020017 | 64.81 | | 64.81 | |
| 57 | BS2020018 | 53.23 | | 53.23 | |

| | | | | | |
|----|-----------|-------|----|-------|----|
| 58 | BS2020019 | 70.17 | 11 | 81.17 | |
| 59 | BS2020020 | 61.10 | 3 | 64.10 | |
| 60 | BS2020021 | 55.11 | | 55.11 | |
| 61 | BS2020022 | 61.96 | 3 | 64.96 | |
| 62 | BS2020023 | 65.60 | 3 | 68.60 | |
| 63 | BS2020024 | 56.67 | | 56.67 | |
| 64 | BS2020025 | 52.81 | 3 | 55.81 | |
| 65 | BS2020026 | 59.21 | 3 | 62.21 | |
| 66 | BS2020027 | 58.33 | 3 | 61.33 | |
| 67 | BS2020028 | 62.27 | 11 | 73.27 | |
| 68 | BS2020029 | 73.48 | 3 | 76.48 | |
| 69 | BS2020030 | 60.00 | 5 | 65.00 | |
| 70 | BS2020031 | 62.99 | | 62.99 | |
| 71 | BS2020032 | 63.47 | | 63.47 | |
| 72 | BS2020033 | 59.46 | | 59.46 | |
| 73 | BS2020034 | 67.41 | 3 | 70.41 | |
| 74 | BS2020035 | 60.83 | 8 | 68.83 | |
| 75 | BS2020036 | 68.49 | | 68.49 | |
| 76 | BS2020037 | 57.89 | | 57.89 | |
| 77 | BS2020038 | 76.44 | 11 | 87.44 | |
| 78 | BS2020039 | 74.19 | 8 | 82.19 | |
| 79 | BS2020040 | 73.31 | 11 | 84.31 | |
| 80 | BS2020041 | 0 | | 0.00 | 缺考 |
| 81 | BS2020042 | 58.02 | 3 | 61.02 | |
| 82 | BS2020043 | 68.39 | | 68.39 | |
| 83 | BS2020044 | 57.66 | 8 | 65.66 | |
| 84 | BS2020045 | 53.43 | | 53.43 | |
| 85 | BS2020046 | 63.18 | 11 | 74.18 | |
| 86 | BS2020047 | 58.54 | 3 | 61.54 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 87 | BS2020048 | 62.79 | | 62.79 | |
| 88 | BS2020049 | 59.56 | 3 | 62.56 | |
| 89 | BS2020050 | 56.64 | 3 | 59.64 | |
| 90 | BS2020051 | 68.27 | 3 | 71.27 | |
| 91 | BS2020052 | 68.68 | | 68.68 | |
| 92 | BS2020053 | 57.37 | 3 | 60.37 | |
| 93 | BS2020054 | 72.57 | | 72.57 | |
| 94 | BS2020055 | 64.99 | 3 | 67.99 | |
| 95 | BS2020056 | 52.48 | | 52.48 | |
| 96 | BS2020057 | 64.49 | 11 | 75.49 | |
| 97 | BS2020058 | 58.91 | 3 | 61.91 | |
| 98 | BS2020059 | 64.69 | 3 | 67.69 | |
| 99 | BS2020060 | 62.80 | | 62.80 | |
| 100 | BS2020061 | 62.03 | 3 | 65.03 | |
| 101 | BS2020062 | 60.77 | | 60.77 | |
| 102 | BS2020063 | 63.22 | 11 | 74.22 | |
| 103 | BS2020064 | 60.63 | | 60.63 | |
| 104 | BS2020065 | 0 | | 0.00 | 缺考 |
| 105 | BS2020066 | 68.46 | 3 | 71.46 | |
| 106 | BS2020067 | 30.25 | | 30.25 | |
| 107 | BS2020068 | 0 | | 0.00 | 缺考 |
| 108 | BS2020069 | 64.48 | 3 | 67.48 | |
| 109 | BS2020070 | 68.74 | 11 | 79.74 | |
| 110 | BS2020071 | 65.26 | | 65.26 | |
| 111 | BS2020072 | 61.59 | 11 | 72.59 | |
| 112 | BS2020073 | 0 | | 0.00 | 缺考 |
| 113 | BS2020074 | 55.73 | | 55.73 | |
| 114 | BS2020075 | 62.74 | 3 | 65.74 | |
| 115 | BS2020076 | 59.39 | | 59.39 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 116 | BS2020077 | 57.83 | | 57.83 | |
| 117 | BS2020078 | 60.93 | | 60.93 | |
| 118 | BS2020079 | 70.74 | 11 | 81.74 | |
| 119 | BS2020080 | 61.86 | | 61.86 | |
| 120 | BS2020081 | 59.12 | | 59.12 | |
| 121 | BS2020082 | 59.69 | | 59.69 | |
| 122 | BS2020083 | 65.42 | 11 | 76.42 | |
| 123 | BS2020084 | 0 | | 0.00 | 缺考 |
| 124 | BS2020085 | 66.67 | | 66.67 | |
| 125 | BS2020086 | 64.85 | 3 | 67.85 | |
| 126 | BS2020087 | 0 | | 0.00 | 缺考 |
| 127 | BS2020088 | 60.71 | | 60.71 | |
| 128 | BS2020089 | 53.69 | | 53.69 | |
| 129 | BS2020090 | 48.79 | | 48.79 | |
| 130 | BS2020091 | 0 | | 0.00 | 缺考 |
| 131 | BS2020092 | 63.26 | 3 | 66.26 | |
| 132 | BS2020093 | 0 | | 0.00 | 缺考 |
| 133 | BS2020094 | 74.36 | 11 | 85.36 | |
| 134 | BS2020095 | 62.61 | | 62.61 | |
| 135 | BS2020096 | 69.14 | 3 | 72.14 | |
| 136 | BS2020097 | 0 | | 0.00 | 缺考 |
| 137 | BS2020098 | 55.81 | | 55.81 | |
| 138 | BS2020099 | 66.43 | | 66.43 | |
| 139 | BS2020100 | 62.96 | 3 | 65.96 | |
| 140 | BS2020101 | 64.16 | 3 | 67.16 | |
| 141 | BS2020102 | 66.39 | 3 | 69.39 | |
| 142 | BS2020103 | 65.41 | | 65.41 | |
| 143 | BS2020104 | 61.81 | | 61.81 | |
| 144 | BS2020105 | 68.65 | 3 | 71.65 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 145 | BS2020106 | 54.00 | 3 | 57.00 | |
| 146 | BS2020107 | 0 | | 0.00 | 缺考 |
| 147 | BS2020108 | 60.98 | 3 | 63.98 | |
| 148 | BS2020109 | 64.48 | | 64.48 | |
| 149 | BS2020110 | 0 | | 0.00 | 缺考 |
| 150 | BS2020111 | 62.31 | 3 | 65.31 | |
| 151 | BS2020112 | 65.86 | | 65.86 | |
| 152 | BS2020113 | 62.46 | 3 | 65.46 | |
| 153 | BS2020114 | 70.25 | 8 | 78.25 | |
| 154 | BS2020115 | 56.51 | | 56.51 | |
| 155 | BS2020116 | 55.95 | | 55.95 | |
| 156 | BS2020117 | 56.29 | | 56.29 | |
| 157 | BS2020118 | 0 | | 0.00 | 缺考 |
| 158 | BS2020119 | 0 | | 0.00 | 缺考 |
| 159 | BS2020120 | 60.01 | 3 | 63.01 | |
| 160 | BS2020121 | 60.43 | 3 | 63.43 | |
| 161 | BS2020122 | 63.10 | 3 | 66.10 | |
| 162 | BS2020123 | 70.33 | 11 | 81.33 | |
| 163 | BS2020124 | 58.14 | 3 | 61.14 | |
| 164 | BS2020125 | 62.38 | | 62.38 | |
| 165 | BS2020126 | 61.99 | | 61.99 | |
| 166 | BS2020127 | 62.41 | 3 | 65.41 | |
| 167 | BS2020128 | 58.26 | 3 | 61.26 | |
| 168 | BS2020129 | 57.62 | 3 | 60.62 | |
| 169 | BS2020130 | 0 | | 0.00 | 缺考 |
| 170 | BS2020131 | 63.10 | 8 | 71.10 | |
| 171 | BS2020132 | 52.90 | | 52.90 | |
| 172 | BS2020133 | 62.55 | 3 | 65.55 | |
| 173 | BS2020134 | 61.64 | | 61.64 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 174 | BS2020135 | 53.80 | 11 | 64.80 | |
| 175 | BS2020136 | 0 | | 0.00 | 缺考 |
| 176 | BS2020137 | 62.71 | 11 | 73.71 | |
| 177 | BS2020138 | 60.07 | 3 | 63.07 | |
| 178 | BS2020139 | 50.79 | | 50.79 | |
| 179 | BS2020140 | 66.43 | 8 | 74.43 | |
| 180 | BS2020141 | 0 | | 0.00 | 缺考 |
| 181 | BS2020142 | 65.11 | 11 | 76.11 | |
| 182 | BS2020143 | 58.90 | 3 | 61.90 | |
| 183 | BS2020144 | 57.68 | 3 | 60.68 | |
| 184 | BS2020145 | 64.69 | 3 | 67.69 | |
| 185 | BS2020146 | 62.10 | | 62.10 | |
| 186 | BS2020147 | 64.42 | 5 | 69.42 | |
| 187 | BS2020148 | 62.11 | | 62.11 | |
| 188 | BS2020149 | 48.27 | 3 | 51.27 | |
| 189 | BS2020150 | 0 | | 0.00 | 缺考 |
| 190 | BS2020151 | 67.98 | 3 | 70.98 | |
| 191 | BS2020152 | 59.89 | 11 | 70.89 | |
| 192 | BS2020153 | 55.15 | 3 | 58.15 | |
| 193 | BS2020154 | 29.50 | | 29.50 | |
| 194 | BS2020155 | 67.69 | 3 | 70.69 | |
| 195 | BS2020156 | 49.87 | | 49.87 | |
| 196 | BS2020157 | 58.54 | 3 | 61.54 | |
| 197 | BS2020158 | 64.91 | 8 | 72.91 | |
| 198 | BS2020159 | 62.76 | | 62.76 | |
| 199 | BS2020160 | 60.17 | 13 | 73.17 | |
| 200 | BS2020161 | 54.97 | | 54.97 | |
| 201 | BS2020162 | 58.17 | 3 | 61.17 | |
| 202 | BS2020163 | 0 | | 0.00 | 缺考 |

| | | | | | |
|-----|-----------|-------|---|-------|----|
| 203 | BS2020164 | 60.89 | | 60.89 | |
| 204 | BS2020165 | 63.24 | 3 | 66.24 | |
| 205 | BS2020166 | 61.66 | | 61.66 | |
| 206 | BS2020167 | 61.29 | | 61.29 | |
| 207 | BS2020168 | 0 | | 0.00 | 缺考 |
| 208 | BS2020169 | 61.90 | 3 | 64.90 | |
| 209 | BS2020170 | 64.09 | 3 | 67.09 | |
| 210 | BS2020171 | 59.38 | | 59.38 | |
| 211 | BS2020172 | 64.68 | 3 | 67.68 | |
| 212 | BS2020173 | 63.43 | | 63.43 | |
| 213 | BS2020174 | 57.27 | 8 | 65.27 | |
| 214 | BS2020175 | 62.85 | 6 | 68.85 | |
| 215 | BS2020176 | 0 | | 0.00 | 缺考 |
| 216 | BS2020177 | 69.40 | 3 | 72.40 | |
| 217 | BS2020178 | 59.27 | 3 | 62.27 | |
| 218 | BS2020179 | 58.71 | 8 | 66.71 | |
| 219 | BS2020180 | 63.95 | | 63.95 | |
| 220 | BS2020181 | 65.68 | | 65.68 | |
| 221 | BS2020182 | 0 | | 0.00 | 缺考 |
| 222 | BS2020183 | 66.77 | 3 | 69.77 | |
| 223 | BS2020184 | 64.11 | 3 | 67.11 | |
| 224 | BS2020185 | 0 | | 0.00 | 缺考 |
| 225 | BS2020186 | 59.79 | 3 | 62.79 | |
| 226 | BS2020187 | 0 | | 0.00 | 缺考 |
| 227 | BS2020188 | 69.14 | 8 | 77.14 | |
| 228 | BS2020189 | 0 | | 0.00 | 缺考 |
| 229 | BS2020190 | 42.96 | 3 | 45.96 | |
| 230 | BS2020191 | 70.31 | | 70.31 | |
| 231 | BS2020192 | 0 | | 0.00 | 缺考 |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 232 | BS2020193 | 72.31 | 3 | 75.31 | |
| 233 | BS2020194 | 61.46 | | 61.46 | |
| 234 | BS2020195 | 62.09 | 3 | 65.09 | |
| 235 | BS2020196 | 72.66 | 11 | 83.66 | |
| 236 | BS2020197 | 64.46 | 3 | 67.46 | |
| 237 | BS2020198 | 71.22 | 6 | 77.22 | |
| 238 | BS2020199 | 54.66 | 3 | 57.66 | |
| 239 | BS2020200 | 54.36 | 6 | 60.36 | |
| 240 | BS2020201 | 59.51 | 3 | 62.51 | |
| 241 | BS2020202 | 0 | | 0.00 | 缺考 |
| 242 | BS2020203 | 62.23 | 8 | 70.23 | |
| 243 | BS2020204 | 0 | | 0.00 | 缺考 |
| 244 | BS2020205 | 61.79 | 3 | 64.79 | |
| 245 | BS2020206 | 61.84 | 3 | 64.84 | |
| 246 | BS2020207 | 58.09 | | 58.09 | |
| 247 | BS2020208 | 50.89 | | 50.89 | |
| 248 | BS2020209 | 0 | | 0.00 | 缺考 |
| 249 | BS2020210 | 66.99 | 3 | 69.99 | |
| 250 | BS2020211 | 46.50 | | 46.50 | |
| 251 | BS2020212 | 49.90 | 3 | 52.90 | |
| 252 | BS2020213 | 0 | | 0.00 | 缺考 |
| 253 | BS2020214 | 72.07 | 8 | 80.07 | |
| 254 | BS2020215 | 60.46 | | 60.46 | |
| 255 | BS2020216 | 66.38 | 8 | 74.38 | |
| 256 | BS2020217 | 60.08 | 3 | 63.08 | |
| 257 | BS2020218 | 58.36 | | 58.36 | |
| 258 | BS2020219 | 57.70 | | 57.70 | |
| 259 | BS2020220 | 67.90 | | 67.90 | |
| 260 | BS2020221 | 0 | | 0.00 | 缺考 |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 261 | BS2020222 | 54.00 | | 54.00 | |
| 262 | BS2020223 | 56.27 | | 56.27 | |
| 263 | BS2020224 | 0 | | 0.00 | 缺考 |
| 264 | BS2020225 | 57.89 | 11 | 68.89 | |
| 265 | BS2020226 | 77.58 | 11 | 88.58 | |
| 266 | BS2020227 | 63.20 | 3 | 66.20 | |
| 267 | BS2020228 | 61.10 | | 61.10 | |
| 268 | BS2020229 | 62.99 | | 62.99 | |
| 269 | BS2020230 | 63.65 | 3 | 66.65 | |
| 270 | BS2020231 | 62.95 | 8 | 70.95 | |
| 271 | BS2020232 | 62.75 | 8 | 70.75 | |
| 272 | BS2020233 | 56.79 | | 56.79 | |
| 273 | BS2020234 | 63.24 | 8 | 71.24 | |
| 274 | BS2020235 | 67.50 | 11 | 78.50 | |
| 275 | BS2020236 | 45.91 | | 45.91 | |
| 276 | BS2020237 | 62.25 | | 62.25 | |
| 277 | BS2020238 | 66.50 | 8 | 74.50 | |
| 278 | BS2020239 | 59.91 | | 59.91 | |
| 279 | BS2020240 | 59.21 | 3 | 62.21 | |
| 280 | BS2020241 | 56.86 | | 56.86 | |
| 281 | BS2020242 | 61.68 | 6 | 67.68 | |
| 282 | BS2020243 | 64.84 | 3 | 67.84 | |
| 283 | BS2020244 | 63.55 | | 63.55 | |
| 284 | BS2020245 | 65.71 | 11 | 76.71 | |
| 285 | BS2020246 | 62.48 | | 62.48 | |
| 286 | BS2020247 | 63.06 | 3 | 66.06 | |
| 287 | BS2020248 | 0 | | 0.00 | 缺考 |
| 288 | BS2020249 | 54.76 | | 54.76 | |
| 289 | BS2020250 | 55.01 | 3 | 58.01 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 290 | BS2020251 | 64.28 | 3 | 67.28 | |
| 291 | BS2020252 | 55.51 | | 55.51 | |
| 292 | BS2020253 | 55.01 | | 55.01 | |
| 293 | BS2020254 | 60.11 | 3 | 63.11 | |
| 294 | BS2020255 | 54.51 | | 54.51 | |
| 295 | BS2020256 | 0 | | 0.00 | 缺考 |
| 296 | BS2020257 | 57.81 | | 57.81 | |
| 297 | BS2020258 | 56.51 | | 56.51 | |
| 298 | BS2020259 | 56.65 | 3 | 59.65 | |
| 299 | BS2020260 | 70.05 | 3 | 73.05 | |
| 300 | BS2020261 | 49.26 | | 49.26 | |
| 301 | BS2020262 | 56.51 | 3 | 59.51 | |
| 302 | BS2020263 | 0 | | 0.00 | 缺考 |
| 303 | BS2020264 | 59.81 | 3 | 62.81 | |
| 304 | BS2020265 | 64.71 | 13 | 77.71 | |
| 305 | BS2020266 | 64.51 | 3 | 67.51 | |
| 306 | BS2020267 | 65.34 | 3 | 68.34 | |
| 307 | BS2020268 | 51.00 | 3 | 54.00 | |
| 308 | BS2020269 | 60.00 | 3 | 63.00 | |
| 309 | BS2020270 | 58.78 | 3 | 61.78 | |
| 310 | BS2020271 | 50.51 | | 50.51 | |
| 311 | BS2020272 | 56.71 | | 56.71 | |
| 312 | BS2020273 | 62.52 | 3 | 65.52 | |
| 313 | BS2020274 | 54.71 | | 54.71 | |
| 314 | BS2020275 | 62.01 | | 62.01 | |
| 315 | BS2020276 | 56.45 | | 56.45 | |
| 316 | BS2020277 | 68.60 | 11 | 79.60 | |
| 317 | BS2020278 | 60.71 | 3 | 63.71 | |
| 318 | BS2020279 | 73.02 | 11 | 84.02 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 319 | BS2020280 | 0 | | 0.00 | 缺考 |
| 320 | BS2020281 | 0 | | 0.00 | 缺考 |
| 321 | BS2020282 | 54.51 | 3 | 57.51 | |
| 322 | BS2020283 | 62.86 | 3 | 65.86 | |
| 323 | BS2020284 | 62.85 | | 62.85 | |
| 324 | BS2020285 | 61.01 | 3 | 64.01 | |
| 325 | BS2020286 | 57.21 | | 57.21 | |
| 326 | BS2020287 | 0 | | 0.00 | 缺考 |
| 327 | BS2020288 | 67.71 | 3 | 70.71 | |
| 328 | BS2020289 | 64.81 | | 64.81 | |
| 329 | BS2020290 | 63.51 | 11 | 74.51 | |
| 330 | BS2020291 | 0 | | 0.00 | 缺考 |
| 331 | BS2020292 | 55.21 | | 55.21 | |
| 332 | BS2020293 | 65.12 | 11 | 76.12 | |
| 333 | BS2020294 | 58.15 | | 58.15 | |
| 334 | BS2020295 | 61.02 | | 61.02 | |
| 335 | BS2020296 | 0 | | 0.00 | 缺考 |
| 336 | BS2020297 | 62.55 | | 62.55 | |
| 337 | BS2020298 | 0 | | 0.00 | 缺考 |
| 338 | BS2020299 | 61.41 | 3 | 64.41 | |
| 339 | BS2020300 | 65.02 | 6 | 71.02 | |
| 340 | BS2020301 | 47.71 | | 47.71 | |
| 341 | BS2020302 | 59.76 | 3 | 62.76 | |
| 342 | BS2020303 | 75.60 | 8 | 83.60 | |
| 343 | BS2020304 | 31.61 | | 31.61 | |
| 344 | BS2020305 | 0 | | 0.00 | 缺考 |
| 345 | BS2020306 | 54.70 | 3 | 57.70 | |
| 346 | BS2020307 | 63.01 | 3 | 66.01 | |
| 347 | BS2020308 | 58.92 | | 58.92 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 348 | BS2020309 | 61.02 | | 61.02 | |
| 349 | BS2020310 | 53.50 | 3 | 56.50 | |
| 350 | BS2020311 | 58.96 | 3 | 61.96 | |
| 351 | BS2020312 | 68.07 | 3 | 71.07 | |
| 352 | BS2020313 | 0 | | 0.00 | 缺考 |
| 353 | BS2020314 | 55.51 | | 55.51 | |
| 354 | BS2020315 | 0 | | 0.00 | 缺考 |
| 355 | BS2020316 | 0 | | 0.00 | 缺考 |
| 356 | BS2020317 | 54.60 | | 54.60 | |
| 357 | BS2020318 | 57.06 | 3 | 60.06 | |
| 358 | BS2020319 | 60.92 | 8 | 68.92 | |
| 359 | BS2020320 | 0 | | 0.00 | 缺考 |
| 360 | BS2020321 | 0 | | 0.00 | 缺考 |
| 361 | BS2020322 | 0 | | 0.00 | 缺考 |
| 362 | BS2020323 | 0 | | 0.00 | 缺考 |
| 363 | BS2020324 | 0 | | 0.00 | 缺考 |
| 364 | BS2020325 | 64.17 | 8 | 72.17 | |
| 365 | WD2020001 | 62.06 | 13 | 75.06 | |
| 366 | WD2020002 | 65.02 | 5 | 70.02 | |
| 367 | WD2020003 | 55.91 | 5 | 60.91 | |
| 368 | WD2020004 | 59.11 | 5 | 64.11 | |
| 369 | WD2020005 | 63.01 | 8 | 71.01 | |
| 370 | WD2020006 | 63.31 | 16 | 79.31 | |
| 371 | WD2020007 | 60.45 | 8 | 68.45 | |
| 372 | WD2020008 | 57.01 | 8 | 65.01 | |
| 373 | WD2020009 | 0 | | 0.00 | 缺考 |
| 374 | WD2020010 | 67.45 | 13 | 80.45 | |
| 375 | WD2020011 | 70.15 | 16 | 86.15 | |
| 376 | WD2020012 | 61.99 | 8 | 69.99 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 377 | WD2020013 | 62.62 | 5 | 67.62 | |
| 378 | WD2020014 | 62.35 | 8 | 70.35 | |
| 379 | WD2020015 | 73.13 | 8 | 81.13 | |
| 380 | WD2020016 | 64.60 | 10 | 74.60 | |
| 381 | WD2020017 | 57.01 | 5 | 62.01 | |
| 382 | WD2020018 | 59.01 | 11 | 70.01 | |
| 383 | WD2020019 | 67.79 | 5 | 72.79 | |
| 384 | WD2020020 | 62.15 | 5 | 67.15 | |
| 385 | WD2020021 | 53.45 | 8 | 61.45 | |
| 386 | WD2020022 | 64.81 | 8 | 72.81 | |
| 387 | WD2020023 | 62.96 | 8 | 70.96 | |
| 388 | WD2020024 | 63.14 | 13 | 76.14 | |
| 389 | WD2020025 | 67.98 | 20 | 87.98 | |
| 390 | WD2020026 | 68.05 | 5 | 73.05 | |
| 391 | WD2020027 | 66.79 | 13 | 79.79 | |
| 392 | WD2020028 | 68.31 | 5 | 73.31 | |
| 393 | WD2020029 | 0 | | 0.00 | 缺考 |
| 394 | WD2020030 | 67.81 | 5 | 72.81 | |
| 395 | WD2020031 | 63.25 | 8 | 71.25 | |
| 396 | WD2020032 | 61.41 | 8 | 69.41 | |
| 397 | WD2020033 | 55.39 | 8 | 63.39 | |
| 398 | WD2020034 | 59.97 | 8 | 67.97 | |
| 399 | WD2020035 | 61.46 | 5 | 66.46 | |
| 400 | WD2020036 | 75.01 | 5 | 80.01 | |
| 401 | WD2020037 | 62.35 | 16 | 78.35 | |
| 402 | WD2020038 | 52.61 | 8 | 60.61 | |
| 403 | WD2020039 | 64.71 | 16 | 80.71 | |
| 404 | WD2020040 | 54.73 | 8 | 62.73 | |
| 405 | WD2020041 | 64.87 | 13 | 77.87 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 406 | WD2020042 | 64.14 | 8 | 72.14 | |
| 407 | WD2020043 | 70.90 | 5 | 75.90 | |
| 408 | WD2020044 | 54.85 | 8 | 62.85 | |
| 409 | WD2020045 | 67.65 | 5 | 72.65 | |
| 410 | WS2020001 | 0 | | 0.00 | 缺考 |
| 411 | WS2020002 | 51.51 | 3 | 54.51 | |
| 412 | WS2020003 | 55.01 | | 55.01 | |
| 413 | WS2020004 | 47.51 | | 47.51 | |
| 414 | WS2020005 | 50.51 | | 50.51 | |
| 415 | WS2020006 | 69.95 | 3 | 72.95 | |
| 416 | WS2020007 | 0 | | 0.00 | 缺考 |
| 417 | WS2020008 | 60.51 | 3 | 63.51 | |
| 418 | WS2020009 | 50.03 | | 50.03 | |
| 419 | WS2020010 | 0 | | 0.00 | 缺考 |
| 420 | WS2020011 | 64.06 | | 64.06 | |
| 421 | WS2020012 | 56.51 | | 56.51 | |
| 422 | WS2020013 | 52.01 | | 52.01 | |
| 423 | WS2020014 | 62.85 | 3 | 65.85 | |
| 424 | WS2020015 | 58.51 | 3 | 61.51 | |
| 425 | WS2020016 | 65.15 | 11 | 76.15 | |
| 426 | WS2020017 | 42.50 | | 42.50 | |
| 427 | WS2020018 | 51.01 | | 51.01 | |
| 428 | WS2020019 | 59.06 | 3 | 62.06 | |
| 429 | WS2020020 | 67.25 | | 67.25 | |
| 430 | WS2020021 | 0 | | 0.00 | 缺考 |
| 431 | WS2020022 | 65.06 | | 65.06 | |
| 432 | WS2020023 | 53.31 | 3 | 56.31 | |
| 433 | WS2020024 | 61.01 | | 61.01 | |
| 434 | WS2020025 | 57.36 | | 57.36 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 435 | WS2020026 | 56.31 | | 56.31 | |
| 436 | WS2020027 | 59.61 | | 59.61 | |
| 437 | WS2020028 | 73.86 | 3 | 76.86 | |
| 438 | WS2020029 | 62.52 | 3 | 65.52 | |
| 439 | WS2020030 | 65.76 | 8 | 73.76 | |
| 440 | WS2020031 | 68.40 | 3 | 71.40 | |
| 441 | WS2020032 | 55.73 | | 55.73 | |
| 442 | WS2020033 | 62.50 | | 62.50 | |
| 443 | WS2020034 | 58.67 | | 58.67 | |
| 444 | WS2020035 | 71.11 | 6 | 77.11 | |
| 445 | WS2020036 | 69.06 | 3 | 72.06 | |
| 446 | WS2020037 | 61.39 | 11 | 72.39 | |
| 447 | WS2020038 | 73.07 | 3 | 76.07 | |
| 448 | WS2020039 | 0 | | 0.00 | 缺考 |
| 449 | WS2020040 | 67.68 | 11 | 78.68 | |
| 450 | WS2020041 | 72.63 | 3 | 75.63 | |
| 451 | WS2020042 | 48.50 | | 48.50 | |
| 452 | WS2020043 | 68.15 | 3 | 71.15 | |
| 453 | WS2020044 | 66.67 | 3 | 69.67 | |
| 454 | WS2020045 | 62.41 | | 62.41 | |
| 455 | WS2020046 | 0 | | 0.00 | 缺考 |
| 456 | WS2020047 | 72.49 | 11 | 83.49 | |
| 457 | WS2020048 | 57.88 | | 57.88 | |
| 458 | WS2020049 | 57.99 | 3 | 60.99 | |
| 459 | WS2020050 | 0 | | 0.00 | 缺考 |
| 460 | WS2020051 | 68.78 | | 68.78 | |
| 461 | WS2020052 | 62.81 | 11 | 73.81 | |
| 462 | WS2020053 | 60.27 | 3 | 63.27 | |
| 463 | WS2020054 | 60.66 | 3 | 63.66 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 464 | WS2020055 | 54.66 | 3 | 57.66 | |
| 465 | WS2020056 | 58.16 | | 58.16 | |
| 466 | WS2020057 | 62.83 | | 62.83 | |
| 467 | WS2020058 | 60.61 | 3 | 63.61 | |
| 468 | WS2020059 | 59.66 | | 59.66 | |
| 469 | WS2020060 | 71.13 | 3 | 74.13 | |
| 470 | WS2020061 | 60.86 | 3 | 63.86 | |
| 471 | WS2020062 | 70.44 | 3 | 73.44 | |
| 472 | WS2020063 | 55.44 | | 55.44 | |
| 473 | WS2020064 | 0 | | 0.00 | 缺考 |
| 474 | WS2020065 | 59.36 | 11 | 70.36 | |
| 475 | WS2020066 | 67.77 | 3 | 70.77 | |
| 476 | WS2020067 | 71.95 | 3 | 74.95 | |
| 477 | WS2020068 | 0 | | 0.00 | 缺考 |
| 478 | WS2020069 | 59.30 | 8 | 67.30 | |
| 479 | WS2020070 | 61.79 | 3 | 64.79 | |
| 480 | WS2020071 | 0 | | 0.00 | 缺考 |
| 481 | WS2020072 | 60.81 | | 60.81 | |
| 482 | WS2020073 | 68.62 | 11 | 79.62 | |
| 483 | WS2020074 | 0 | | 0.00 | 缺考 |
| 484 | WS2020075 | 63.40 | 8 | 71.40 | |
| 485 | WS2020076 | 51.39 | 3 | 54.39 | |
| 486 | WS2020077 | 64.81 | 8 | 72.81 | |
| 487 | WS2020078 | 49.41 | | 49.41 | |
| 488 | WS2020079 | 60.56 | 3 | 63.56 | |
| 489 | WS2020080 | 61.11 | | 61.11 | |
| 490 | WS2020081 | 56.81 | | 56.81 | |
| 491 | WS2020082 | 62.74 | 6 | 68.74 | |
| 492 | WS2020083 | 0 | | 0.00 | 缺考 |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 493 | WS2020084 | 51.69 | | 51.69 | |
| 494 | WS2020085 | 47.51 | 3 | 50.51 | |
| 495 | WS2020086 | 0 | | 0.00 | 缺考 |
| 496 | WS2020087 | 59.31 | | 59.31 | |
| 497 | WS2020088 | 57.51 | 3 | 60.51 | |
| 498 | WS2020089 | 62.19 | | 62.19 | |
| 499 | WS2020090 | 60.99 | 3 | 63.99 | |
| 500 | WS2020091 | 68.42 | | 68.42 | |
| 501 | WS2020092 | 65.71 | 3 | 68.71 | |
| 502 | WS2020093 | 69.13 | 11 | 80.13 | |
| 503 | WS2020094 | 59.96 | 11 | 70.96 | |
| 504 | WS2020095 | 63.98 | | 63.98 | |
| 505 | WS2020096 | 57.83 | | 57.83 | |
| 506 | WS2020097 | 0 | | 0.00 | 缺考 |
| 507 | WS2020098 | 67.99 | 3 | 70.99 | |
| 508 | WS2020099 | 62.47 | 11 | 73.47 | |
| 509 | WS2020100 | 0 | | 0.00 | 缺考 |
| 510 | WS2020101 | 62.99 | 11 | 73.99 | |
| 511 | WS2020102 | 59.24 | | 59.24 | |
| 512 | WS2020103 | 56.02 | | 56.02 | |
| 513 | WS2020104 | 61.36 | 3 | 64.36 | |
| 514 | WS2020105 | 53.69 | 3 | 56.69 | |
| 515 | WS2020106 | 56.69 | 3 | 59.69 | |
| 516 | WS2020107 | 57.00 | 11 | 68.00 | |
| 517 | WS2020108 | 62.43 | 8 | 70.43 | |
| 518 | WS2020109 | 57.73 | | 57.73 | |
| 519 | WS2020110 | 64.17 | | 64.17 | |
| 520 | WS2020111 | 62.01 | 5 | 67.01 | |
| 521 | WS2020112 | 61.04 | 6 | 67.04 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 522 | WS2020113 | 69.18 | 8 | 77.18 | |
| 523 | WS2020114 | 56.29 | 8 | 64.29 | |
| 524 | WS2020115 | 65.57 | 11 | 76.57 | |
| 525 | WS2020116 | 0 | | 0.00 | 缺考 |
| 526 | WS2020117 | 72.03 | 3 | 75.03 | |
| 527 | WS2020118 | 66.01 | 3 | 69.01 | |
| 528 | WS2020119 | 67.18 | | 67.18 | |
| 529 | WS2020120 | 59.51 | 11 | 70.51 | |
| 530 | WS2020121 | 68.88 | 16 | 84.88 | |
| 531 | WS2020122 | 64.69 | 3 | 67.69 | |
| 532 | WS2020123 | 60.38 | 3 | 63.38 | |
| 533 | WS2020124 | 64.03 | 11 | 75.03 | |
| 534 | WS2020125 | 57.79 | 8 | 65.79 | |
| 535 | WS2020126 | 52.59 | | 52.59 | |
| 536 | WS2020127 | 61.02 | 3 | 64.02 | |
| 537 | WS2020128 | 71.94 | 3 | 74.94 | |
| 538 | WS2020129 | 63.24 | 3 | 66.24 | |
| 539 | WS2020130 | 57.17 | 3 | 60.17 | |
| 540 | WS2020131 | 57.23 | 5 | 62.23 | |
| 541 | WS2020132 | 57.67 | | 57.67 | |
| 542 | WS2020133 | 59.88 | | 59.88 | |
| 543 | WS2020134 | 65.81 | 11 | 76.81 | |
| 544 | WS2020135 | 49.77 | | 49.77 | |
| 545 | WS2020136 | 56.48 | | 56.48 | |
| 546 | WS2020137 | 58.21 | 3 | 61.21 | |
| 547 | WS2020138 | 65.69 | 3 | 68.69 | |
| 548 | WS2020139 | 61.70 | 3 | 64.70 | |
| 549 | WS2020140 | 59.79 | | 59.79 | |
| 550 | WS2020141 | 65.35 | 3 | 68.35 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 551 | WS2020142 | 59.13 | | 59.13 | |
| 552 | WS2020143 | 58.67 | | 58.67 | |
| 553 | WS2020144 | 57.14 | | 57.14 | |
| 554 | WS2020145 | 64.99 | 8 | 72.99 | |
| 555 | WS2020146 | 60.15 | 5 | 65.15 | |
| 556 | WS2020147 | 65.58 | | 65.58 | |
| 557 | WS2020148 | 71.47 | 3 | 74.47 | |
| 558 | WS2020149 | 60.32 | | 60.32 | |
| 559 | WS2020150 | 69.92 | 3 | 72.92 | |
| 560 | WS2020151 | 60.01 | | 60.01 | |
| 561 | WS2020152 | 71.72 | 11 | 82.72 | |
| 562 | WS2020153 | 57.28 | 11 | 68.28 | |
| 563 | WS2020154 | 59.90 | 3 | 62.90 | |
| 564 | WS2020155 | 55.66 | | 55.66 | |
| 565 | WS2020156 | 65.93 | 8 | 73.93 | |
| 566 | WS2020157 | 64.67 | | 64.67 | |
| 567 | WS2020158 | 63.90 | | 63.90 | |
| 568 | WS2020159 | 51.87 | | 51.87 | |
| 569 | WS2020160 | 59.86 | 3 | 62.86 | |
| 570 | WS2020161 | 59.96 | | 59.96 | |
| 571 | WS2020162 | 0 | | 0.00 | 缺考 |
| 572 | WS2020163 | 52.77 | | 52.77 | |
| 573 | WS2020164 | 59.00 | | 59.00 | |
| 574 | WS2020165 | 60.86 | | 60.86 | |
| 575 | WS2020166 | 74.67 | 3 | 77.67 | |
| 576 | WS2020167 | 67.31 | 11 | 78.31 | |
| 577 | WS2020168 | 63.17 | | 63.17 | |
| 578 | WS2020169 | 63.37 | 3 | 66.37 | |
| 579 | WS2020170 | 59.83 | 11 | 70.83 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 580 | WS2020171 | 57.21 | 3 | 60.21 | |
| 581 | WS2020172 | 54.17 | 3 | 57.17 | |
| 582 | WS2020173 | 61.80 | 8 | 69.80 | |
| 583 | WS2020174 | 60.36 | 3 | 63.36 | |
| 584 | WS2020175 | 57.19 | | 57.19 | |
| 585 | WS2020176 | 60.80 | 3 | 63.80 | |
| 586 | WS2020177 | 65.36 | 11 | 76.36 | |
| 587 | WS2020178 | 60.01 | 11 | 71.01 | |
| 588 | WS2020179 | 55.11 | 3 | 58.11 | |
| 589 | WS2020180 | 65.85 | 3 | 68.85 | |
| 590 | WS2020181 | 66.63 | | 66.63 | |
| 591 | WS2020182 | 63.70 | | 63.70 | |
| 592 | WS2020183 | 67.95 | 3 | 70.95 | |
| 593 | WS2020184 | 58.56 | | 58.56 | |
| 594 | WS2020185 | 59.23 | | 59.23 | |
| 595 | WS2020186 | 59.41 | | 59.41 | |
| 596 | WS2020187 | 52.17 | 3 | 55.17 | |
| 597 | WS2020188 | 62.08 | | 62.08 | |
| 598 | WS2020189 | 63.96 | 3 | 66.96 | |
| 599 | WS2020190 | 61.69 | 3 | 64.69 | |
| 600 | WS2020191 | 61.11 | 3 | 64.11 | |
| 601 | WS2020192 | 0 | | 0.00 | 缺考 |
| 602 | WS2020193 | 57.29 | | 57.29 | |
| 603 | WS2020194 | 48.02 | | 48.02 | |
| 604 | WS2020195 | 55.51 | | 55.51 | |
| 605 | WS2020196 | 0 | | 0.00 | 缺考 |
| 606 | WS2020197 | 59.43 | 11 | 70.43 | |
| 607 | WS2020198 | 71.69 | 16 | 87.69 | |
| 608 | WS2020199 | 69.71 | | 69.71 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 609 | WS2020200 | 68.09 | 3 | 71.09 | |
| 610 | WS2020201 | 58.27 | | 58.27 | |
| 611 | WS2020202 | 63.50 | 3 | 66.50 | |
| 612 | WS2020203 | 68.50 | 8 | 76.50 | |
| 613 | WS2020204 | 57.42 | | 57.42 | |
| 614 | WS2020205 | 66.08 | | 66.08 | |
| 615 | WS2020206 | 49.87 | | 49.87 | |
| 616 | WS2020207 | 52.66 | 3 | 55.66 | |
| 617 | WS2020208 | 61.99 | | 61.99 | |
| 618 | WS2020209 | 58.66 | | 58.66 | |
| 619 | WS2020210 | 56.10 | | 56.10 | |
| 620 | WS2020211 | 66.13 | | 66.13 | |
| 621 | WS2020212 | 68.64 | 6 | 74.64 | |
| 622 | WS2020213 | 60.79 | 11 | 71.79 | |
| 623 | WS2020214 | 60.68 | 3 | 63.68 | |
| 624 | WS2020215 | 63.79 | 3 | 66.79 | |
| 625 | WS2020216 | 0 | | 0.00 | 缺考 |
| 626 | WS2020217 | 59.77 | 3 | 62.77 | |
| 627 | WS2020218 | 62.79 | | 62.79 | |
| 628 | WS2020219 | 64.26 | | 64.26 | |
| 629 | WS2020220 | 63.79 | 11 | 74.79 | |
| 630 | WS2020221 | 60.46 | 8 | 68.46 | |
| 631 | WS2020222 | 61.20 | 3 | 64.20 | |
| 632 | WS2020223 | 53.04 | | 53.04 | |
| 633 | WS2020224 | 57.33 | | 57.33 | |
| 634 | WS2020225 | 56.71 | | 56.71 | |
| 635 | WS2020226 | 56.63 | | 56.63 | |
| 636 | WS2020227 | 73.83 | 3 | 76.83 | |
| 637 | WS2020228 | 58.85 | | 58.85 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 638 | WS2020229 | 67.68 | 11 | 78.68 | |
| 639 | WS2020230 | 71.55 | | 71.55 | |
| 640 | WS2020231 | 61.37 | | 61.37 | |
| 641 | WS2020232 | 75.08 | 11 | 86.08 | |
| 642 | WS2020233 | 67.80 | 3 | 70.80 | |
| 643 | WS2020234 | 65.78 | 11 | 76.78 | |
| 644 | WS2020235 | 71.33 | 3 | 74.33 | |
| 645 | WS2020236 | 61.81 | | 61.81 | |
| 646 | WS2020237 | 61.37 | | 61.37 | |
| 647 | WS2020238 | 53.15 | 3 | 56.15 | |
| 648 | WS2020239 | 58.50 | 3 | 61.50 | |
| 649 | WS2020240 | 65.54 | 11 | 76.54 | |
| 650 | WS2020241 | 63.45 | | 63.45 | |
| 651 | WS2020242 | 55.77 | 5 | 60.77 | |
| 652 | WS2020243 | 64.41 | | 64.41 | |
| 653 | WS2020244 | 56.78 | | 56.78 | |
| 654 | WS2020245 | 56.69 | 11 | 67.69 | |
| 655 | WS2020246 | 54.13 | | 54.13 | |
| 656 | WS2020247 | 0 | | 0.00 | 缺考 |
| 657 | WS2020248 | 69.27 | 11 | 80.27 | |
| 658 | WS2020249 | 61.01 | 3 | 64.01 | |
| 659 | WS2020250 | 66.27 | 8 | 74.27 | |
| 660 | WS2020251 | 60.26 | | 60.26 | |
| 661 | WS2020252 | 54.11 | 5 | 59.11 | |
| 662 | WS2020253 | 59.93 | 8 | 67.93 | |
| 663 | WS2020254 | 0 | | 0.00 | 缺考 |
| 664 | WS2020255 | 64.39 | 8 | 72.39 | |
| 665 | WS2020256 | 59.37 | 8 | 67.37 | |
| 666 | WS2020257 | 62.09 | 11 | 73.09 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 667 | WS2020258 | 0 | | 0.00 | 缺考 |
| 668 | WS2020259 | 67.92 | 3 | 70.92 | |
| 669 | WS2020260 | 71.82 | 3 | 74.82 | |
| 670 | WS2020261 | 57.45 | 3 | 60.45 | |
| 671 | WS2020262 | 65.73 | 5 | 70.73 | |
| 672 | WS2020263 | 58.67 | | 58.67 | |
| 673 | WS2020264 | 64.70 | 8 | 72.70 | |
| 674 | WS2020265 | 66.01 | 3 | 69.01 | |
| 675 | WS2020266 | 57.85 | | 57.85 | |
| 676 | WS2020267 | 65.80 | 3 | 68.80 | |
| 677 | WS2020268 | 71.93 | 11 | 82.93 | |
| 678 | WS2020269 | 62.71 | | 62.71 | |
| 679 | WS2020270 | 61.35 | | 61.35 | |
| 680 | WS2020271 | 56.03 | | 56.03 | |
| 681 | WS2020272 | 63.47 | 3 | 66.47 | |
| 682 | WS2020273 | 53.57 | | 53.57 | |
| 683 | WS2020274 | 74.03 | 11 | 85.03 | |
| 684 | WS2020275 | 70.24 | 3 | 73.24 | |
| 685 | WS2020276 | 72.80 | 11 | 83.80 | |
| 686 | WS2020277 | 68.18 | | 68.18 | |
| 687 | WS2020278 | 51.73 | | 51.73 | |
| 688 | WS2020279 | 64.07 | | 64.07 | |
| 689 | WS2020280 | 57.67 | | 57.67 | |
| 690 | WS2020281 | 67.99 | | 67.99 | |
| 691 | WS2020282 | 62.45 | | 62.45 | |
| 692 | WS2020283 | 66.53 | | 66.53 | |
| 693 | WS2020284 | 67.00 | 11 | 78.00 | |
| 694 | WS2020285 | 67.99 | 3 | 70.99 | |
| 695 | WS2020286 | 0 | | 0.00 | 缺考 |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 696 | WS2020287 | 61.50 | 3 | 64.50 | |
| 697 | WS2020288 | 73.45 | 3 | 76.45 | |
| 698 | WS2020289 | 60.31 | | 60.31 | |
| 699 | WS2020290 | 0 | | 0.00 | 缺考 |
| 700 | WS2020291 | 67.26 | | 67.26 | |
| 701 | WS2020292 | 47.90 | | 47.90 | |
| 702 | WS2020293 | 64.66 | 3 | 67.66 | |
| 703 | WS2020294 | 68.48 | 3 | 71.48 | |
| 704 | WS2020295 | 0 | | 0.00 | 缺考 |
| 705 | WS2020296 | 57.31 | 11 | 68.31 | |
| 706 | WS2020297 | 53.93 | | 53.93 | |
| 707 | WS2020298 | 68.35 | 3 | 71.35 | |
| 708 | WS2020299 | 61.96 | 3 | 64.96 | |
| 709 | WS2020300 | 64.77 | 3 | 67.77 | |
| 710 | WS2020301 | 67.88 | 3 | 70.88 | |
| 711 | WS2020302 | 63.57 | 11 | 74.57 | |
| 712 | WS2020303 | 64.17 | | 64.17 | |
| 713 | WS2020304 | 35.98 | | 35.98 | |
| 714 | WS2020305 | 0 | | 0.00 | 缺考 |
| 715 | WS2020306 | 58.24 | | 58.24 | |
| 716 | WS2020307 | 65.06 | | 65.06 | |
| 717 | WS2020308 | 72.38 | 3 | 75.38 | |
| 718 | WS2020309 | 0 | | 0.00 | 缺考 |
| 719 | WS2020310 | 62.94 | | 62.94 | |
| 720 | WS2020311 | 65.99 | 3 | 68.99 | |
| 721 | WS2020312 | 55.65 | | 55.65 | |
| 722 | WS2020313 | 62.76 | 3 | 65.76 | |
| 723 | WS2020314 | 68.53 | 3 | 71.53 | |
| 724 | WS2020315 | 62.88 | 3 | 65.88 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 725 | WS2020316 | 59.27 | 3 | 62.27 | |
| 726 | WS2020317 | 66.77 | 3 | 69.77 | |
| 727 | WS2020318 | 61.97 | | 61.97 | |
| 728 | WS2020319 | 59.29 | | 59.29 | |
| 729 | WS2020320 | 56.46 | 3 | 59.46 | |
| 730 | WS2020321 | 50.16 | | 50.16 | |
| 731 | WS2020322 | 56.77 | 3 | 59.77 | |
| 732 | WS2020323 | 51.64 | 8 | 59.64 | |
| 733 | WS2020324 | 55.51 | | 55.51 | |
| 734 | WS2020325 | 50.99 | | 50.99 | |
| 735 | WS2020326 | 59.44 | 3 | 62.44 | |
| 736 | WS2020327 | 56.59 | | 56.59 | |
| 737 | WS2020328 | 47.37 | | 47.37 | |
| 738 | WS2020329 | 64.49 | 11 | 75.49 | |
| 739 | WS2020330 | 68.61 | 3 | 71.61 | |
| 740 | WS2020331 | 62.17 | 11 | 73.17 | |
| 741 | WS2020332 | 62.64 | | 62.64 | |
| 742 | WS2020333 | 64.63 | 3 | 67.63 | |
| 743 | WS2020334 | 61.92 | | 61.92 | |
| 744 | WS2020335 | 56.79 | | 56.79 | |
| 745 | WS2020336 | 62.01 | 3 | 65.01 | |
| 746 | WS2020337 | 54.51 | | 54.51 | |
| 747 | WS2020338 | 60.99 | 3 | 63.99 | |
| 748 | WS2020339 | 0 | | 0.00 | 缺考 |
| 749 | WS2020340 | 51.45 | | 51.45 | |
| 750 | WS2020341 | 61.84 | 3 | 64.84 | |
| 751 | WS2020342 | 57.85 | 3 | 60.85 | |
| 752 | WS2020343 | 52.29 | | 52.29 | |
| 753 | WS2020344 | 57.35 | 3 | 60.35 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 754 | WS2020345 | 61.99 | 11 | 72.99 | |
| 755 | WS2020346 | 52.46 | | 52.46 | |
| 756 | WS2020347 | 65.66 | 3 | 68.66 | |
| 757 | WS2020348 | 56.89 | | 56.89 | |
| 758 | WS2020349 | 0 | | 0.00 | 缺考 |
| 759 | WS2020350 | 53.88 | | 53.88 | |
| 760 | WS2020351 | 0 | | 0.00 | 缺考 |
| 761 | WS2020352 | 62.31 | 3 | 65.31 | |
| 762 | WS2020353 | 57.95 | 3 | 60.95 | |
| 763 | WS2020354 | 62.19 | 11 | 73.19 | |
| 764 | WS2020355 | 62.96 | 8 | 70.96 | |
| 765 | WS2020356 | 61.31 | | 61.31 | |
| 766 | WS2020357 | 69.93 | 3 | 72.93 | |
| 767 | WS2020358 | 56.31 | | 56.31 | |
| 768 | WS2020359 | 0 | | 0.00 | 缺考 |
| 769 | WS2020360 | 60.45 | | 60.45 | |
| 770 | WS2020361 | 62.15 | | 62.15 | |
| 771 | WS2020362 | 62.41 | 3 | 65.41 | |
| 772 | WS2020363 | 65.73 | 3 | 68.73 | |
| 773 | WS2020364 | 0 | | 0.00 | 缺考 |
| 774 | WS2020365 | 69.74 | | 69.74 | |
| 775 | WS2020366 | 0 | | 0.00 | 缺考 |
| 776 | WS2020367 | 0 | | 0.00 | 缺考 |
| 777 | WS2020368 | 61.43 | | 61.43 | |
| 778 | WS2020369 | 57.31 | | 57.31 | |
| 779 | WS2020370 | 55.53 | | 55.53 | |
| 780 | WS2020371 | 52.49 | | 52.49 | |
| 781 | WS2020372 | 0 | | 0.00 | 缺考 |
| 782 | WS2020373 | 56.39 | 3 | 59.39 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 783 | WS2020374 | 71.43 | 3 | 74.43 | |
| 784 | WS2020375 | 68.43 | | 68.43 | |
| 785 | WS2020376 | 51.16 | | 51.16 | |
| 786 | WS2020377 | 62.04 | | 62.04 | |
| 787 | WS2020378 | 53.18 | 3 | 56.18 | |
| 788 | WS2020379 | 53.67 | | 53.67 | |
| 789 | WS2020380 | 0 | | 0.00 | 缺考 |
| 790 | WS2020381 | 76.47 | 8 | 84.47 | |
| 791 | WS2020382 | 61.77 | | 61.77 | |
| 792 | WS2020383 | 58.98 | 3 | 61.98 | |
| 793 | WS2020384 | 0 | | 0.00 | 缺考 |
| 794 | WS2020385 | 62.01 | 11 | 73.01 | |
| 795 | WS2020386 | 65.77 | | 65.77 | |
| 796 | WS2020387 | 0 | | 0.00 | 缺考 |
| 797 | WS2020388 | 63.23 | 3 | 66.23 | |
| 798 | WS2020389 | 64.74 | 3 | 67.74 | |
| 799 | WS2020390 | 58.16 | | 58.16 | |
| 800 | WS2020391 | 64.16 | | 64.16 | |
| 801 | WS2020392 | 60.60 | 6 | 66.60 | |
| 802 | WS2020393 | 60.47 | 3 | 63.47 | |
| 803 | WS2020394 | 66.06 | 3 | 69.06 | |
| 804 | WS2020395 | 58.71 | | 58.71 | |
| 805 | WS2020396 | 65.69 | | 65.69 | |
| 806 | WS2020397 | 64.38 | 3 | 67.38 | |
| 807 | WS2020398 | 58.47 | | 58.47 | |
| 808 | WS2020399 | 64.89 | 3 | 67.89 | |
| 809 | WS2020400 | 55.51 | | 55.51 | |
| 810 | WS2020401 | 59.57 | 5 | 64.57 | |
| 811 | WS2020402 | 62.94 | | 62.94 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 812 | WS2020403 | 67.89 | 8 | 75.89 | |
| 813 | WS2020404 | 0 | | 0.00 | 缺考 |
| 814 | WS2020405 | 58.81 | 3 | 61.81 | |
| 815 | WS2020406 | 62.39 | | 62.39 | |
| 816 | WS2020407 | 67.21 | 11 | 78.21 | |
| 817 | WS2020408 | 67.81 | | 67.81 | |
| 818 | WS2020409 | 64.14 | 11 | 75.14 | |
| 819 | WS2020410 | 57.77 | 3 | 60.77 | |
| 820 | WS2020411 | 61.28 | 6 | 67.28 | |
| 821 | WS2020412 | 52.56 | | 52.56 | |
| 822 | WS2020413 | 54.54 | | 54.54 | |
| 823 | WS2020414 | 56.85 | 3 | 59.85 | |
| 824 | WS2020415 | 66.66 | 3 | 69.66 | |
| 825 | WS2020416 | 60.29 | 8 | 68.29 | |
| 826 | WS2020417 | 66.24 | 3 | 69.24 | |
| 827 | WS2020418 | 61.57 | 8 | 69.57 | |
| 828 | WS2020419 | 53.37 | | 53.37 | |
| 829 | WS2020420 | 66.99 | 3 | 69.99 | |
| 830 | WS2020421 | 59.25 | 3 | 62.25 | |
| 831 | WS2020422 | 56.47 | | 56.47 | |
| 832 | WS2020423 | 67.42 | 11 | 78.42 | |
| 833 | WS2020424 | 0 | | 0.00 | 缺考 |
| 834 | WS2020425 | 59.59 | | 59.59 | |
| 835 | WS2020426 | 0 | | 0.00 | 缺考 |
| 836 | WS2020427 | 69.99 | 11 | 80.99 | |
| 837 | WS2020428 | 64.26 | 11 | 75.26 | |
| 838 | WS2020429 | 62.31 | 3 | 65.31 | |
| 839 | WS2020430 | 62.76 | | 62.76 | |
| 840 | WS2020431 | 59.26 | 3 | 62.26 | |

| | | | | | |
|-----|-----------|-------|---|-------|----|
| 841 | WS2020432 | 48.66 | | 48.66 | |
| 842 | WS2020433 | 53.29 | | 53.29 | |
| 843 | WS2020434 | 66.15 | 8 | 74.15 | |
| 844 | WS2020435 | 59.51 | 3 | 62.51 | |
| 845 | WS2020436 | 0 | | 0.00 | 缺考 |
| 846 | WS2020437 | 59.67 | 3 | 62.67 | |
| 847 | WS2020438 | 0 | | 0.00 | 缺考 |
| 848 | WS2020439 | 42.00 | | 42.00 | |
| 849 | WS2020440 | 56.21 | 3 | 59.21 | |
| 850 | WS2020441 | 61.42 | 3 | 64.42 | |
| 851 | WS2020442 | 56.27 | | 56.27 | |
| 852 | WS2020443 | 60.32 | 3 | 63.32 | |
| 853 | WS2020444 | 62.47 | 3 | 65.47 | |
| 854 | WS2020445 | 63.66 | 3 | 66.66 | |
| 855 | WS2020446 | 69.51 | 3 | 72.51 | |
| 856 | WS2020447 | 60.16 | | 60.16 | |
| 857 | WS2020448 | 55.79 | | 55.79 | |
| 858 | WS2020449 | 72.18 | 3 | 75.18 | |
| 859 | WS2020450 | 0 | | 0.00 | 缺考 |
| 860 | WS2020451 | 58.51 | | 58.51 | |
| 861 | WS2020452 | 63.57 | 3 | 66.57 | |
| 862 | WS2020453 | 56.64 | | 56.64 | |
| 863 | WS2020454 | 68.53 | | 68.53 | |
| 864 | WS2020455 | 71.52 | 3 | 74.52 | |
| 865 | WS2020456 | 70.89 | | 70.89 | |
| 866 | WS2020457 | 68.41 | 3 | 71.41 | |
| 867 | WS2020458 | 0 | | 0.00 | 缺考 |
| 868 | WS2020459 | 54.96 | 3 | 57.96 | |
| 869 | WS2020460 | 60.05 | | 60.05 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 870 | WS2020461 | 64.27 | 3 | 67.27 | |
| 871 | WS2020462 | 61.74 | 3 | 64.74 | |
| 872 | WS2020463 | 69.04 | 3 | 72.04 | |
| 873 | WS2020464 | 60.07 | | 60.07 | |
| 874 | WS2020465 | 59.01 | | 59.01 | |
| 875 | WS2020466 | 56.29 | | 56.29 | |
| 876 | WS2020467 | 66.26 | 3 | 69.26 | |
| 877 | WS2020468 | 57.39 | | 57.39 | |
| 878 | WS2020469 | 57.28 | | 57.28 | |
| 879 | WS2020470 | 0 | | 0.00 | 缺考 |
| 880 | WS2020471 | 58.17 | | 58.17 | |
| 881 | WS2020472 | 57.27 | 3 | 60.27 | |
| 882 | WS2020473 | 56.86 | | 56.86 | |
| 883 | WS2020474 | 0 | | 0.00 | 缺考 |
| 884 | WS2020475 | 54.33 | 3 | 57.33 | |
| 885 | WS2020476 | 0 | | 0.00 | 缺考 |
| 886 | WS2020477 | 60.20 | | 60.20 | |
| 887 | WS2020478 | 0 | | 0.00 | 缺考 |
| 888 | WS2020479 | 70.97 | 11 | 81.97 | |
| 889 | WS2020480 | 57.06 | | 57.06 | |
| 890 | WS2020481 | 60.20 | 3 | 63.20 | |
| 891 | WS2020482 | 64.50 | | 64.50 | |
| 892 | WS2020483 | 55.25 | | 55.25 | |
| 893 | WS2020484 | 68.35 | | 68.35 | |
| 894 | WS2020485 | 61.99 | | 61.99 | |
| 895 | WS2020486 | 65.27 | 3 | 68.27 | |
| 896 | WS2020487 | 67.75 | 11 | 78.75 | |
| 897 | WS2020488 | 47.50 | 3 | 50.50 | |
| 898 | WS2020489 | 61.11 | 3 | 64.11 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 899 | WS2020490 | 0 | | 0.00 | 缺考 |
| 900 | WS2020491 | 65.86 | | 65.86 | |
| 901 | WS2020492 | 0 | | 0.00 | 缺考 |
| 902 | WS2020493 | 67.89 | | 67.89 | |
| 903 | WS2020494 | 65.50 | 11 | 76.50 | |
| 904 | WS2020495 | 0 | | 0.00 | 缺考 |
| 905 | WS2020496 | 0 | | 0.00 | 缺考 |
| 906 | WS2020497 | 53.76 | | 53.76 | |
| 907 | WS2020498 | 61.00 | 11 | 72.00 | |
| 908 | WS2020499 | 65.12 | 3 | 68.12 | |
| 909 | WS2020500 | 0 | | 0.00 | 缺考 |
| 910 | WS2020501 | 69.27 | | 69.27 | |
| 911 | WS2020502 | 55.11 | 3 | 58.11 | |
| 912 | WS2020503 | 0 | | 0.00 | 缺考 |
| 913 | WS2020504 | 71.12 | | 71.12 | |
| 914 | WS2020505 | 58.30 | | 58.30 | |
| 915 | WS2020506 | 56.07 | | 56.07 | |
| 916 | WS2020507 | 61.40 | 3 | 64.40 | |
| 917 | WS2020508 | 64.10 | 3 | 67.10 | |
| 918 | WS2020509 | 70.86 | 5 | 75.86 | |
| 919 | WS2020510 | 66.36 | | 66.36 | |
| 920 | WS2020511 | 62.01 | 3 | 65.01 | |
| 921 | WS2020512 | 67.35 | 11 | 78.35 | |
| 922 | WS2020513 | 76.61 | 3 | 79.61 | |
| 923 | WS2020514 | 52.51 | | 52.51 | |
| 924 | WS2020515 | 0 | | 0.00 | 缺考 |
| 925 | WS2020516 | 63.10 | 3 | 66.10 | |
| 926 | WS2020517 | 59.91 | 3 | 62.91 | |
| 927 | WS2020518 | 62.75 | | 62.75 | |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 928 | WS2020519 | 61.16 | 3 | 64.16 | |
| 929 | WS2020520 | 0 | | 0.00 | 缺考 |
| 930 | WS2020521 | 54.31 | | 54.31 | |
| 931 | WS2020522 | 0 | | 0.00 | 缺考 |
| 932 | WS2020523 | 60.75 | | 60.75 | |
| 933 | WS2020524 | 54.51 | | 54.51 | |
| 934 | WS2020525 | 61.65 | | 61.65 | |
| 935 | WS2020526 | 63.97 | 3 | 66.97 | |
| 936 | WS2020527 | 51.11 | | 51.11 | |
| 937 | WS2020528 | 57.36 | 3 | 60.36 | |
| 938 | WS2020529 | 64.37 | 3 | 67.37 | |
| 939 | WS2020530 | 0 | | 0.00 | 缺考 |
| 940 | WS2020531 | 65.41 | 3 | 68.41 | |
| 941 | WS2020532 | 66.51 | 3 | 69.51 | |
| 942 | WS2020533 | 64.52 | 8 | 72.52 | |
| 943 | WS2020534 | 51.36 | | 51.36 | |
| 944 | WS2020535 | 63.42 | 3 | 66.42 | |
| 945 | WS2020536 | 65.51 | 11 | 76.51 | |
| 946 | WS2020537 | 56.85 | 8 | 64.85 | |
| 947 | WS2020538 | 55.36 | | 55.36 | |
| 948 | WS2020539 | 72.05 | 3 | 75.05 | |
| 949 | WS2020540 | 62.01 | | 62.01 | |
| 950 | WS2020541 | 67.15 | 3 | 70.15 | |
| 951 | WS2020542 | 57.83 | 8 | 65.83 | |
| 952 | WS2020543 | 56.15 | 3 | 59.15 | |
| 953 | WS2020544 | 62.59 | | 62.59 | |
| 954 | WS2020545 | 0 | | 0.00 | 缺考 |
| 955 | WS2020546 | 63.61 | 3 | 66.61 | |
| 956 | WS2020547 | 0 | | 0.00 | 缺考 |

| | | | | | |
|-----|-----------|-------|----|-------|----|
| 957 | WS2020548 | 67.50 | 3 | 70.50 | |
| 958 | WS2020549 | 56.89 | | 56.89 | |
| 959 | WS2020550 | 56.52 | 3 | 59.52 | |
| 960 | WS2020551 | 51.76 | | 51.76 | |
| 961 | WS2020552 | 0 | | 0.00 | 缺考 |
| 962 | WS2020553 | 56.79 | | 56.79 | |
| 963 | WS2020554 | 66.16 | | 66.16 | |
| 964 | WS2020555 | 60.94 | 3 | 63.94 | |
| 965 | WS2020556 | 67.36 | 5 | 72.36 | |
| 966 | WS2020557 | 59.41 | | 59.41 | |
| 967 | WS2020558 | 56.97 | | 56.97 | |
| 968 | WS2020559 | 70.34 | 11 | 81.34 | |
| 969 | WS2020560 | 61.64 | 3 | 64.64 | |
| 970 | WS2020561 | 63.70 | 3 | 66.70 | |
| 971 | WS2020562 | 0 | | 0.00 | 缺考 |
| 972 | WS2020563 | 0 | | 0.00 | 缺考 |
| 973 | WS2020564 | 58.27 | 3 | 61.27 | |
| 974 | WS2020565 | 58.11 | 3 | 61.11 | |
| 975 | WS2020566 | 54.27 | | 54.27 | |
| 976 | WS2020567 | 41.50 | | 41.50 | |
| 977 | WS2020568 | 68.20 | 3 | 71.20 | |
| 978 | WS2020569 | 64.78 | 3 | 67.78 | |
| 979 | WS2020570 | 59.96 | | 59.96 | |
| 980 | WS2020571 | 63.25 | 3 | 66.25 | |
| 981 | WS2020572 | 0 | | 0.00 | 缺考 |
| 982 | WS2020573 | 56.31 | 3 | 59.31 | |
| 983 | WS2020574 | 53.41 | 3 | 56.41 | |
| 984 | WS2020575 | 53.81 | | 53.81 | |