

2023年东平县城市社区专职工作者公开招聘 总成绩及进入体检范围人员公示

总排名	准考证号	面试 考场号	面试 顺序号	笔试成绩	面试 现场成绩	修正系数	面试 修正成绩	总成绩	是否进入 体检范围
1	2023041825	3	3-02	77.25	80.06	1.022757463289	81.88	80.03	是
2	2023041807	5	5-31	67.25	88.76	0.986943963073	87.60	79.46	是
3	2023041307	1	1-35	76.75	80.12	1.009975782033	80.92	79.25	是
4	2023040521	3	3-04	70.45	83.04	1.022757463289	84.93	79.14	是
5	2023042123	4	4-51	72.46	84.80	0.983576395246	83.41	79.03	是
6	2023041425	2	2-11	71.00	84.34	0.998606288653	84.22	78.93	是
7	2023041926	5	5-26	74.50	82.90	0.986943963073	81.82	78.89	是
8	2023040206	5	5-16	74.55	82.72	0.986943963073	81.64	78.80	是
9	2023042322	2	2-20	65.05	87.96	0.998606288653	87.84	78.72	是
10	2023040221	2	2-25	71.50	82.48	0.998606288653	82.37	78.02	是
11	2023040701	2	2-26	68.60	84.26	0.998606288653	84.14	77.93	是
12	2023040323	5	5-18	64.00	88.30	0.986943963073	87.15	77.89	是
13	2023041302	3	3-58	63.00	85.38	1.022757463289	87.32	77.59	是
14	2023042314	2	2-31	77.85	77.30	0.998606288653	77.19	77.46	是
15	2023041113	2	2-52	65.75	85.32	0.998606288653	85.20	77.42	是
16	2023042320	3	3-49	75.50	76.84	1.022757463289	78.59	77.35	是
17	2023040624	2	2-60	64.00	86.20	0.998606288653	86.08	77.25	是
18	2023041924	4	4-44	67.25	85.12	0.983576395246	83.72	77.13	是
19	2023040410	5	5-23	71.75	81.44	0.986943963073	80.38	76.93	是
20	2023041103	3	3-06	60.85	85.66	1.022757463289	87.61	76.91	是
21	2023040726	1	1-43	68.20	81.82	1.009975782033	82.64	76.86	是
22	2023040212	3	3-13	67.60	81.12	1.022757463289	82.97	76.82	是
23	2023041010	2	2-19	63.95	85.42	0.998606288653	85.30	76.76	是
24	2023042009	2	2-07	64.50	84.94	0.998606288653	84.82	76.69	是
24	2023040405	5	5-05	67.25	84.08	0.986943963073	82.98	76.69	是
26	2023041027	4	4-12	69.35	82.78	0.983576395246	81.42	76.59	是
27	2023042030	2	2-14	67.75	82.50	0.998606288653	82.39	76.53	是
28	2023041902	2	2-24	66.65	83.10	0.998606288653	82.98	76.45	是
29	2023041721	3	3-59	70.00	78.72	1.022757463289	80.51	76.31	是
30	2023041006	5	5-59	69.37	81.80	0.986943963073	80.73	76.19	是
31	2023042229	3	3-16	63.00	82.96	1.022757463289	84.85	76.11	是
32	2023041413	2	2-36	65.25	83.30	0.998606288653	83.18	76.01	是
32	2023041116	5	5-60	64.75	84.62	0.986943963073	83.52	76.01	是
34	2023042112	2	2-05	72.28	78.56	0.998606288653	78.45	75.98	是
35	2023040229	1	1-28	65.70	81.84	1.009975782033	82.66	75.87	是
36	2023040205	2	2-16	64.55	83.52	0.998606288653	83.40	75.86	是
37	2023040820	5	5-03	68.25	81.84	0.986943963073	80.77	75.76	是
37	2023040916	2	2-57	67.85	81.14	0.998606288653	81.03	75.76	是
39	2023040829	1	1-30	66.75	80.68	1.009975782033	81.48	75.59	是

总排名	准考证号	面试 考场号	面试 顺序号	笔试成绩	面试 现场成绩	修正系数	面试 修正成绩	总成绩	是否进入 体检范围
40	2023040122	2	2-01	65.50	82.42	0.998606288653	82.31	75.58	是
41	2023040804	2	2-04	60.75	85.54	0.998606288653	85.42	75.55	是
42	2023041724	1	1-16	64.75	81.92	1.009975782033	82.74	75.54	是
43	2023040614	3	3-51	65.00	80.70	1.022757463289	82.54	75.52	是
44	2023042029	2	2-53	63.00	83.86	0.998606288653	83.74	75.45	是
45	2023040627	4	4-45	65.15	83.62	0.983576395246	82.25	75.41	是
46	2023041109	1	1-42	57.35	86.52	1.009975782033	87.38	75.37	是
46	2023041525	1	1-10	68.25	79.32	1.009975782033	80.11	75.37	是
48	2023040330	1	1-49	65.50	81.12	1.009975782033	81.93	75.36	是
49	2023040622	5	5-08	62.25	85.20	0.986943963073	84.09	75.35	是
50	2023041404	3	3-38	64.75	80.56	1.022757463289	82.39	75.34	是
51	2023040126	3	3-03	66.25	79.58	1.022757463289	81.39	75.33	是
52	2023040823	5	5-07	65.50	82.92	0.986943963073	81.84	75.30	是
53	2023042316	4	4-47	60.00	86.74	0.983576395246	85.32	75.19	是
54	2023041714	2	2-49	62.25	83.87	0.998606288653	83.75	75.15	是
55	2023042025	3	3-55	67.25	78.60	1.022757463289	80.39	75.13	是
56	2023040104	2	2-17	68.00	79.94	0.998606288653	79.83	75.10	是
57	2023042327	4	4-37	68.10	81.00	0.983576395246	79.67	75.04	是
58	2023041016	4	4-57	69.55	79.98	0.983576395246	78.67	75.02	是
58	2023041128	2	2-08	70.15	78.37	0.998606288653	78.26	75.02	是
60	2023040706	4	4-11	65.35	82.78	0.983576395246	81.42	74.99	是
61	2023041108	4	4-15	62.60	84.62	0.983576395246	83.23	74.98	是
62	2023042419	3	3-35	65.00	79.80	1.022757463289	81.62	74.97	是
63	2023040603	2	2-23	61.25	83.98	0.998606288653	83.86	74.82	是
64	2023041107	4	4-22	66.60	81.58	0.983576395246	80.24	74.78	是
64	2023042319	5	5-48	60.90	85.14	0.986943963073	84.03	74.78	是
66	2023040314	1	1-50	63.75	81.30	1.009975782033	82.11	74.77	是
67	2023041118	3	3-07	64.00	80.08	1.022757463289	81.90	74.74	是
67	2023041009	1	1-56	66.58	79.38	1.009975782033	80.17	74.74	是
69	2023040707	4	4-17	62.80	84.06	0.983576395246	82.68	74.73	是
70	2023042406	3	3-09	61.90	81.42	1.022757463289	83.27	74.72	是
71	2023041709	5	5-30	64.00	82.86	0.986943963073	81.78	74.67	是
72	2023042121	1	1-22	61.08	82.88	1.009975782033	83.71	74.66	是
73	2023041912	5	5-47	62.50	83.76	0.986943963073	82.67	74.60	是
74	2023041610	4	4-59	67.50	80.64	0.983576395246	79.32	74.59	是
75	2023041224	4	4-13	62.50	83.88	0.983576395246	82.50	74.50	是
75	2023041222	3	3-44	65.75	78.54	1.022757463289	80.33	74.50	是
77	2023042325	4	4-26	64.30	82.64	0.983576395246	81.28	74.49	是
78	2023042017	5	5-51	63.00	83.22	0.986943963073	82.13	74.48	是
79	2023041322	4	4-40	65.50	81.74	0.983576395246	80.40	74.44	是
80	2023040629	2	2-35	61.75	82.96	0.998606288653	82.84	74.41	是
81	2023041315	3	3-34	63.75	79.66	1.022757463289	81.47	74.38	是

总排名	准考证号	面试 考场号	面试 顺序号	笔试成绩	面试 现场成绩	修正系数	面试 修正成绩	总成绩	是否进入 体检范围
82	2023041722	3	3-40	61.75	80.90	1.022757463289	82.74	74.34	是
82	2023040817	4	4-60	61.25	84.46	0.983576395246	83.07	74.34	是
82	2023041601	5	5-21	66.50	80.62	0.986943963073	79.57	74.34	是
85	2023040125	4	4-30	65.50	81.44	0.983576395246	80.10	74.26	是
86	2023040108	4	4-10	63.50	82.64	0.983576395246	81.28	74.17	是
87	2023041818	1	1-46	65.25	79.30	1.009975782033	80.09	74.15	是
87	2023041401	3	3-45	64.00	79.12	1.022757463289	80.92	74.15	是
89	2023040623	4	4-39	60.75	84.36	0.983576395246	82.97	74.08	是
90	2023040228	2	2-44	58.90	84.26	0.998606288653	84.14	74.05	是
91	2023040428	3	3-42	64.00	78.92	1.022757463289	80.72	74.03	是
92	2023041430	4	4-18	62.50	83.00	0.983576395246	81.64	73.98	是
92	2023040727	1	1-37	61.50	81.48	1.009975782033	82.29	73.98	是
94	2023042426	5	5-20	65.25	80.82	0.986943963073	79.76	73.96	是
94	2023042126	5	5-53	60.95	83.72	0.986943963073	82.63	73.96	是
96	2023041324	1	1-17	61.00	81.76	1.009975782033	82.58	73.95	是
97	2023040215	3	3-29	67.28	76.60	1.022757463289	78.34	73.92	是
98	2023040712	3	3-37	65.40	77.80	1.022757463289	79.57	73.90	是
99	2023042201	3	3-26	63.50	79.02	1.022757463289	80.82	73.89	是
100	2023041802	2	2-33	68.00	77.90	0.998606288653	77.79	73.87	是
101	2023041127	2	2-54	67.20	78.35	0.998606288653	78.24	73.82	
102	2023042424	1	1-41	61.65	81.08	1.009975782033	81.89	73.79	
103	2023041921	4	4-24	66.25	80.10	0.983576395246	78.78	73.77	
104	2023041908	3	3-36	61.75	79.94	1.022757463289	81.76	73.76	
105	2023042010	5	5-17	62.75	82.14	0.986943963073	81.07	73.74	
106	2023041105	1	1-14	60.10	81.94	1.009975782033	82.76	73.69	
107	2023041211	5	5-06	64.25	81.02	0.986943963073	79.96	73.68	
108	2023041728	1	1-32	65.25	78.46	1.009975782033	79.24	73.65	
109	2023041215	5	5-25	64.25	80.96	0.986943963073	79.90	73.64	
110	2023040523	1	1-51	61.88	80.64	1.009975782033	81.44	73.62	
110	2023042222	1	1-04	63.00	79.90	1.009975782033	80.70	73.62	
112	2023042127	5	5-39	63.36	81.50	0.986943963073	80.44	73.61	
113	2023041920	5	5-44	64.00	80.98	0.986943963073	79.92	73.55	
114	2023041314	1	1-34	61.75	80.58	1.009975782033	81.38	73.53	
115	2023040625	1	1-13	58.50	82.70	1.009975782033	83.52	73.51	
116	2023041620	3	3-11	67.45	75.80	1.022757463289	77.53	73.50	
117	2023040107	5	5-57	61.25	82.72	0.986943963073	81.64	73.48	
117	2023042414	4	4-05	60.80	83.30	0.983576395246	81.93	73.48	
119	2023041023	5	5-56	57.75	85.06	0.986943963073	83.95	73.47	
119	2023040111	3	3-25	64.00	78.00	1.022757463289	79.78	73.47	
121	2023040907	2	2-46	61.25	81.69	0.998606288653	81.58	73.45	
122	2023041321	1	1-24	60.25	81.36	1.009975782033	82.17	73.40	
123	2023040101	5	5-12	67.50	78.34	0.986943963073	77.32	73.39	

总排名	准考证号	面试 考场号	面试 顺序号	笔试成绩	面试 现场成绩	修正系数	面试 修正成绩	总成绩	是否进入 体检范围
124	2023040526	5	5-24	58.25	84.50	0.986943963073	83.40	73.34	
125	2023041414	5	5-58	61.25	82.46	0.986943963073	81.38	73.33	
125	2023040601	3	3-14	60.00	80.38	1.022757463289	82.21	73.33	
127	2023042401	4	4-16	62.10	82.12	0.983576395246	80.77	73.30	
128	2023040720	3	3-18	63.55	78.00	1.022757463289	79.78	73.29	
129	2023041609	2	2-22	63.90	79.62	0.998606288653	79.51	73.27	
130	2023041909	5	5-61	60.90	82.56	0.986943963073	81.48	73.25	
131	2023040713	1	1-06	65.35	77.70	1.009975782033	78.48	73.23	
132	2023041906	1	1-47	64.90	77.94	1.009975782033	78.72	73.19	
133	2023040525	1	1-21	63.55	78.82	1.009975782033	79.61	73.18	
134	2023041801	1	1-40	63.75	78.66	1.009975782033	79.44	73.17	
135	2023040414	2	2-21	61.00	81.34	0.998606288653	81.23	73.14	
136	2023041327	4	4-42	60.25	83.04	0.983576395246	81.68	73.11	
137	2023040507	5	5-52	60.03	82.90	0.986943963073	81.82	73.10	
138	2023040527	1	1-39	61.20	80.16	1.009975782033	80.96	73.06	
139	2023040725	4	4-28	60.85	82.44	0.983576395246	81.09	72.99	
140	2023041812	4	4-41	60.75	82.48	0.983576395246	81.13	72.98	
141	2023040824	2	2-39	65.50	78.06	0.998606288653	77.95	72.97	
142	2023042321	1	1-12	61.50	79.80	1.009975782033	80.60	72.96	
143	2023040822	2	2-45	64.00	79.01	0.998606288653	78.90	72.94	
144	2023041730	4	4-01	60.25	82.74	0.983576395246	81.38	72.93	
145	2023040719	1	1-09	60.75	80.22	1.009975782033	81.02	72.91	
145	2023042120	2	2-18	63.16	79.52	0.998606288653	79.41	72.91	
147	2023040918	1	1-05	64.85	77.44	1.009975782033	78.21	72.87	
148	2023040416	3	3-21	63.00	77.54	1.022757463289	79.30	72.78	
149	2023042330	4	4-20	63.00	80.60	0.983576395246	79.28	72.77	
150	2023040515	1	1-58	67.56	75.48	1.009975782033	76.23	72.76	
151	2023041018	3	3-54	62.80	77.60	1.022757463289	79.37	72.74	
151	2023042202	1	1-02	60.50	80.10	1.009975782033	80.90	72.74	
151	2023040606	3	3-08	60.00	79.42	1.022757463289	81.23	72.74	
154	2023042125	1	1-20	61.83	79.16	1.009975782033	79.95	72.70	
155	2023042103	1	1-60	57.98	81.64	1.009975782033	82.45	72.66	
156	2023041510	4	4-29	62.50	80.58	0.983576395246	79.26	72.55	
157	2023041007	2	2-34	67.45	76.04	0.998606288653	75.93	72.54	
158	2023041311	4	4-52	60.50	81.86	0.983576395246	80.52	72.51	
159	2023041402	3	3-48	61.75	77.90	1.022757463289	79.67	72.50	
160	2023040616	1	1-59	61.25	79.18	1.009975782033	79.97	72.48	
161	2023041603	3	3-27	63.55	76.60	1.022757463289	78.34	72.43	
162	2023041415	3	3-24	60.00	78.90	1.022757463289	80.70	72.42	
163	2023041104	5	5-09	65.65	77.90	0.986943963073	76.88	72.39	
164	2023040522	5	5-28	63.27	79.46	0.986943963073	78.42	72.36	
165	2023042122	5	5-38	60.16	81.52	0.986943963073	80.46	72.34	

总排名	准考证号	面试考场号	面试顺序号	笔试成绩	面试现场成绩	修正系数	面试修正成绩	总成绩	是否进入体检范围
166	2023040906	4	4-04	61.80	80.66	0.983576395246	79.34	72.32	
167	2023041407	1	1-26	65.00	76.42	1.009975782033	77.18	72.31	
168	2023040109	4	4-43	61.25	80.92	0.983576395246	79.59	72.25	
169	2023042312	1	1-11	63.30	77.38	1.009975782033	78.15	72.21	
169	2023042212	1	1-53	60.75	79.06	1.009975782033	79.85	72.21	
171	2023041115	2	2-51	61.20	79.63	0.998606288653	79.52	72.19	
171	2023041705	2	2-06	63.25	78.26	0.998606288653	78.15	72.19	
173	2023042116	2	2-12	60.11	80.32	0.998606288653	80.21	72.17	
174	2023040621	4	4-36	60.50	81.26	0.983576395246	79.93	72.16	
175	2023041209	1	1-25	58.50	80.40	1.009975782033	81.20	72.12	
175	2023040208	4	4-03	61.70	80.38	0.983576395246	79.06	72.12	
177	2023041707	1	1-31	61.25	78.54	1.009975782033	79.32	72.09	
178	2023040510	3	3-46	60.20	78.18	1.022757463289	79.96	72.06	
179	2023041913	4	4-35	60.75	80.90	0.983576395246	79.57	72.04	
180	2023041607	2	2-27	65.50	76.48	0.998606288653	76.37	72.02	
181	2023040922	2	2-55	62.10	78.70	0.998606288653	78.59	71.99	
182	2023040203	4	4-14	65.75	77.38	0.983576395246	76.11	71.97	
183	2023040530	1	1-57	61.80	77.94	1.009975782033	78.72	71.95	
184	2023040220	5	5-10	60.33	80.74	0.986943963073	79.69	71.94	
185	2023040110	4	4-19	60.25	81.02	0.983576395246	79.69	71.91	
186	2023040512	4	4-48	60.40	80.90	0.983576395246	79.57	71.90	
187	2023042420	5	5-50	63.55	78.48	0.986943963073	77.46	71.89	
188	2023042105	1	1-44	61.46	78.02	1.009975782033	78.80	71.86	
188	2023040227	5	5-29	60.00	80.82	0.986943963073	79.76	71.86	
190	2023041613	5	5-55	65.10	77.28	0.986943963073	76.27	71.80	
191	2023040826	5	5-15	60.03	80.68	0.986943963073	79.63	71.79	
192	2023041629	3	3-23	65.25	74.44	1.022757463289	76.13	71.78	
192	2023040309	2	2-13	60.00	79.74	0.998606288653	79.63	71.78	
194	2023040130	1	1-36	63.50	76.52	1.009975782033	77.28	71.77	
195	2023041605	1	1-29	63.80	76.28	1.009975782033	77.04	71.74	
196	2023041412	3	3-19	62.75	75.98	1.022757463289	77.71	71.73	
197	2023041303	1	1-07	62.00	77.42	1.009975782033	78.19	71.72	
198	2023040124	5	5-49	58.75	81.40	0.986943963073	80.34	71.70	
199	2023040121	4	4-23	58.75	81.60	0.983576395246	80.26	71.66	
200	2023042209	5	5-54	61.50	79.44	0.986943963073	78.40	71.64	
200	2023041312	5	5-13	64.25	77.58	0.986943963073	76.57	71.64	
202	2023040920	4	4-31	62.25	79.14	0.983576395246	77.84	71.60	
202	2023042405	3	3-22	60.10	77.50	1.022757463289	79.26	71.60	
204	2023040930	5	5-41	67.25	75.44	0.986943963073	74.46	71.57	
204	2023040312	5	5-34	60.75	79.82	0.986943963073	78.78	71.57	
206	2023040316	3	3-43	60.25	77.28	1.022757463289	79.04	71.52	
207	2023040607	2	2-41	65.25	75.76	0.998606288653	75.65	71.49	

总排名	准考证号	面试 考场号	面试 顺序号	笔试成绩	面试 现场成绩	修正系数	面试 修正成绩	总成绩	是否进入 体检范围
208	2023042107	5	5-37	63.27	77.96	0.986943963073	76.94	71.47	
209	2023040928	4	4-55	60.15	80.32	0.983576395246	79.00	71.46	
209	2023042305	1	1-48	60.20	78.18	1.009975782033	78.96	71.46	
211	2023042011	3	3-57	58.00	78.60	1.022757463289	80.39	71.43	
212	2023041013	4	4-08	58.85	81.06	0.983576395246	79.73	71.38	
213	2023041305	2	2-56	61.25	78.23	0.998606288653	78.12	71.37	
214	2023041207	5	5-35	60.50	79.52	0.986943963073	78.48	71.29	
215	2023040509	2	2-03	60.15	78.74	0.998606288653	78.63	71.24	
216	2023041123	1	1-33	60.25	77.66	1.009975782033	78.43	71.16	
216	2023042021	4	4-09	60.75	79.40	0.983576395246	78.10	71.16	
218	2023041928	1	1-18	60.25	77.60	1.009975782033	78.37	71.12	
219	2023040810	1	1-55	61.75	76.56	1.009975782033	77.32	71.09	
219	2023042213	4	4-06	60.75	79.28	0.983576395246	77.98	71.09	
219	2023042220	5	5-19	61.00	78.84	0.986943963073	77.81	71.09	
222	2023041806	3	3-33	64.25	73.92	1.022757463289	75.60	71.06	
223	2023042008	2	2-10	60.00	78.50	0.998606288653	78.39	71.03	
224	2023040921	3	3-32	60.60	76.18	1.022757463289	77.91	70.99	
225	2023041308	2	2-02	61.75	77.24	0.998606288653	77.13	70.98	
225	2023042124	2	2-37	64.29	75.54	0.998606288653	75.43	70.98	
227	2023040123	4	4-50	60.25	79.40	0.983576395246	78.10	70.96	
228	2023041519	2	2-15	58.00	79.62	0.998606288653	79.51	70.91	
229	2023040106	1	1-03	58.50	78.34	1.009975782033	79.12	70.87	
229	2023041608	1	1-08	57.80	78.80	1.009975782033	79.59	70.87	
231	2023041306	3	3-05	63.50	74.08	1.022757463289	75.77	70.86	
232	2023040511	2	2-47	63.66	75.75	0.998606288653	75.64	70.85	
233	2023041903	3	3-12	60.05	76.24	1.022757463289	77.98	70.81	
234	2023042203	4	4-56	58.25	80.48	0.983576395246	79.16	70.79	
235	2023040827	4	4-54	62.25	77.74	0.983576395246	76.46	70.78	
236	2023041017	3	3-52	61.95	74.92	1.022757463289	76.62	70.75	
237	2023041713	3	3-15	57.75	77.52	1.022757463289	79.28	70.67	
238	2023040703	5	5-27	60.60	78.30	0.986943963073	77.28	70.61	
239	2023040722	2	2-58	63.15	75.67	0.998606288653	75.56	70.60	
240	2023041212	1	1-15	61.50	75.86	1.009975782033	76.62	70.57	
241	2023040327	2	2-59	60.25	77.52	0.998606288653	77.41	70.55	
242	2023041929	3	3-17	62.20	74.40	1.022757463289	76.09	70.54	
243	2023042428	4	4-25	58.80	79.66	0.983576395246	78.35	70.53	
244	2023041309	5	5-40	58.00	79.88	0.986943963073	78.84	70.50	
245	2023042109	5	5-46	60.45	78.20	0.986943963073	77.18	70.49	
246	2023042226	4	4-53	60.25	78.52	0.983576395246	77.23	70.44	
247	2023040430	4	4-27	60.25	78.48	0.983576395246	77.19	70.41	
248	2023040427	3	3-30	63.25	73.50	1.022757463289	75.17	70.40	
249	2023042408	5	5-36	60.65	77.84	0.986943963073	76.82	70.35	

总排名	准考证号	面试 考场号	面试 顺序号	笔试成绩	面试 现场成绩	修正系数	面试 修正成绩	总成绩	是否进入 体检范围
250	2023041727	5	5-11	60.25	78.06	0.986943963073	77.04	70.32	
250	2023041604	5	5-22	60.00	78.22	0.986943963073	77.20	70.32	
252	2023040721	5	5-01	61.15	77.38	0.986943963073	76.37	70.28	
253	2023040723	4	4-02	62.25	76.78	0.983576395246	75.52	70.21	
254	2023041711	2	2-43	57.25	78.84	0.998606288653	78.73	70.14	
254	2023041616	3	3-10	60.25	75.02	1.022757463289	76.73	70.14	
256	2023040619	4	4-32	57.50	79.86	0.983576395246	78.55	70.13	
257	2023041930	3	3-60	60.25	75.00	1.022757463289	76.71	70.12	
258	2023040418	4	4-38	57.25	79.96	0.983576395246	78.65	70.09	
259	2023042114	4	4-21	61.26	77.20	0.983576395246	75.93	70.06	
260	2023041008	3	3-41	60.35	74.76	1.022757463289	76.46	70.02	
260	2023041313	1	1-19	60.75	75.44	1.009975782033	76.19	70.02	
262	2023041907	2	2-30	61.15	75.94	0.998606288653	75.83	69.96	
263	2023040902	2	2-38	60.85	76.06	0.998606288653	75.95	69.91	
264	2023042404	2	2-42	61.25	75.72	0.998606288653	75.61	69.87	
265	2023041120	2	2-29	60.10	76.42	0.998606288653	76.31	69.83	
266	2023041822	3	3-20	60.25	74.44	1.022757463289	76.13	69.78	
267	2023042411	4	4-49	62.00	76.14	0.983576395246	74.89	69.73	
268	2023041619	2	2-28	60.45	76.00	0.998606288653	75.89	69.72	
269	2023040117	5	5-14	60.75	76.58	0.986943963073	75.58	69.65	
270	2023041229	4	4-07	61.75	76.08	0.983576395246	74.83	69.60	
271	2023041710	4	4-58	64.25	74.32	0.983576395246	73.10	69.56	
272	2023041725	1	1-23	57.75	76.66	1.009975782033	77.42	69.55	
273	2023040819	3	3-28	57.75	75.58	1.022757463289	77.30	69.48	
274	2023042024	5	5-43	61.00	75.82	0.986943963073	74.83	69.30	
275	2023040628	5	5-02	58.50	77.34	0.986943963073	76.33	69.20	
276	2023041004	1	1-45	57.40	76.16	1.009975782033	76.92	69.11	
277	2023040306	5	5-04	61.25	75.24	0.986943963073	74.26	69.05	
278	2023041124	2	2-50	60.75	74.67	0.998606288653	74.57	69.04	
279	2023041618	3	3-31	57.80	74.72	1.022757463289	76.42	68.97	
280	2023041826	5	5-32	60.25	75.52	0.986943963073	74.53	68.82	
281	2023040504	3	3-39	57.75	74.38	1.022757463289	76.07	68.74	
282	2023041614	2	2-40	62.40	73.06	0.998606288653	72.96	68.73	
283	2023042018	1	1-27	60.00	73.74	1.009975782033	74.48	68.69	
284	2023040814	3	3-56	57.25	74.50	1.022757463289	76.20	68.62	
285	2023040409	4	4-46	57.50	77.04	0.983576395246	75.77	68.46	
286	2023040202	5	5-42	57.75	76.58	0.986943963073	75.58	68.45	
287	2023041121	2	2-48	58.65	75.03	0.998606288653	74.93	68.42	
288	2023041518	3	3-53	57.75	72.90	1.022757463289	74.56	67.84	
289	2023042303	2	2-09	61.75	71.58	0.998606288653	71.48	67.59	
290	2023040308	1	1-38	60.50	60.00	1.009975782033	60.60	60.56	
291	2023040413	缺考		68.25				27.30	

总排名	准考证号	面试 考场号	面试 顺序号	笔试成绩	面试 现场成绩	修正系数	面试 修正成绩	总成绩	是否进入 体检范围
292	2023042106	缺考		65.76				26.30	
293	2023040714	缺考		64.45				25.78	
294	2023040919	缺考		62.05				24.82	
295	2023041320	缺考		61.50				24.60	
296	2023041514	缺考		60.45				24.18	
297	2023042117	缺考		60.08				24.03	
298	2023041716	缺考		60.00				24.00	
299	2023041712	缺考		58.75				23.50	
300	2023040708	缺考		57.95				23.18	
301	2023040924	缺考		57.30				22.92	